

INSTALLATION GUIDE

ITZA  TM




Introduction

Thank you for purchasing ITZA product. We take pride in providing you with a high quality product. Our product will provide you with years of entertainment pleasure. This instruction booklet covers the necessary information for a smooth installation of your director.


Tools/Item Needed

1. Pencil
2. Keyhole or drywall saw
3. Measuring tape
4. Screwdriver
5. Speaker wire
6. Wire stripper




Speaker Placement

The distance between speakers should be separated approximately 6 to 10 feet apart. If possible, the left and right speakers should be located the same distance from the listening position.




DOLBY ATMOS / DTS : X

ITZA speakers can be used as surround speakers or satellite speakers. When installing the speakers in the ceiling, locate the speaker from 3 to 6 feet behind the listening position and space the speaker from 6 to 10 feet apart.




Installation


- 1** Draw around template and mark lines if necessary




- 2** Cut around marked line




- 3** Connect speaker cables




- 4** Guide speaker into cut out



- 5** Tighten 4 ear lock screws




- 6** Fit grilles over the speaker. The grille uses magnets to be held in place



High Frequency Booster

When a room has a lot of hard surfaces like bare wall and hard wood floors, the HF Booster will reflect off of these surfaces and increase. In these situations, it may be a good idea to turn the HF Booster down. Alternately, in rooms with carpet and things like curtains, the HF Booster is often absorbed. If this is the case, it would probably be best to turn up the HF Booster.



Limited Lifetime Warranty

ITZA warrants to the original retail purchaser only that this ITZA product will be free from defects in materials and workmanship, provided the speaker was purchased from an ITZA authorized dealer. If the product is determined to be defective, except for the grille, which is warranted for ten(10) years, it will be repaired or replaced at ITZA discretion. If the product must be replaced yet it is no longer manufactured, it will be replaced with a model of equal to or greater value that is the most similar to the original. If this is the case, installing the replacement model may require mounting modifications; ITZA will not be responsible for any such related costs.

Requirements and Warranty Coverage

This warranty may not be valid if the product was purchased through an unauthorized dealer. This warranty only applies to the individual that made the original purchase, and it cannot be applied to other purchases. The purchaser must be prepared to provide proof of purchase (receipt). This warranty will not be valid if the identifying number or serial number has been removed, defaced, or altered. This warranty does not cover the following:

- Accidental damage
- Damage caused by abuse or misuse
- Damage caused by attempted repairs/modifications by anyone other than ITZA or an authorized dealer
- Damage caused by improper installation
- Normal wear, maintenance, and environmental issues
- Damage caused by voltage inputs in excess of the rated maximum of the unit
- Damage inflicted during the return shipment

